




Sliding Pocket Door Kits

**THE QUICK AND EASY WAY TO
AN INEXPENSIVE POCKET DOOR**



Simply better...
Rocket Pocket!

*Rocket Pocket...
simple but better.*



Simple



T: 0113 245 8157 | info@sphygiene.co.uk

Simple but better. With Rocket Pocket you get so much more... and at more or less the same price!

Our kit includes a complete steel pocket with track to eliminate any alignment issues. Just assemble and screw into standard 3 X 2 stud work and cover with 12.5 mm plasterboard - and that's it - a Rocket Pocket - pocket door.



Our kit includes a solid steel pocket door frame with a proper steel pocket. Even the brackets are steel so there is no risk of warping as you would have with wood.

Designed to fit the door size with no cutting or trimming. Buy it - assemble it - fit it... it's as simple as that!



The door brake, made from special spring steel, ensures that during normal use the door will not slam against the door post.



We have a Rocket Pocket kit for most UK door sizes and you can fit either 35 or 44 mm thick doors. You can buy a kit to fit your exact door size (see table on back page) meaning there is no messing about cutting trimming or adjusting the pocket to fit.



Just take a moment to consider just how much extra space you can have in your own home and at such a small cost.

The Rocket Pocket kit has been designed to be quick and easy to install. Transform your home with a Rocket Pocket!



Simple to use brackets fit straight onto the stud work and double as plasterboard positioners and supports.



There is no floor track so you can continue the floor surface through the door with no threshold. Due to the simple but ingenious adjustable pocket entrance guide you can use 35 or 44 mm door thickness.



Our runners have carbon steel 'sealed for life' bearings meaning your Rocket Pocket will give you years and years of uninterrupted sliding pleasure.




ROCKET POCKET

DIMENSIONS

10/20160177.01

INSTALL AT FINISHED FLOOR LEVEL



DOOR PANEL		FINISHED WALL*	OVERALL DIMENSIONS	
DW	DH		W	H
686 (27")	1981 (78")	100 (4")	1390	2050
762 (30")	1981 (78")	100 (4")	1545	2050
838 (33")	1981 (78")	100 (4")	1695	2050
726	2040	100 (4")	1470	2110
826	2040	100 (4")	1670	2110
926	2040	100 (4")	1870	2110

DOOR THICKNESS 35 or 44 mm

Dims. in mm

*Using 12.5 mm plasterboard. You can add more layers to increase the wall thickness.



SP Hygiene

Unit C5 Copley Hill Trading Estate Whitehall Road, Leeds | LS12 1HE

T: 0113 245 8157 | info@sphygiene.co.uk